
Fiche produit



SM 611 S

Tambours de satinage pour Peinture/vernis/mastic, Bois, Matière plastique, Métal universel



| Diamètre en mm | Largeur en mm | Alésage en mm | Grain | Vmax en m/s | Vitesse de rot. adm. en t/min | Référence |
|----------------|---------------|---------------|-------|-------------|-------------------------------|-----------|
| 100.0 | 100.0 | 19 | 240 | 19 | 3700.0 | 104999 |
| 100.0 | 50.0 | 19 | 40 | 19 | 3700.0 | 60868 |
| 100.0 | 50.0 | 19 | 60 | 19 | 3700.0 | 60899 |
| 100.0 | 50.0 | 19 | 80 | 19 | 3700.0 | 60943 |
| 100.0 | 50.0 | 19 | 120 | 19 | 3700.0 | 61045 |
| 100.0 | 100.0 | 19 | 60 | 19 | 3700.0 | 7325 |
| 100.0 | 100.0 | 19 | 80 | 19 | 3700.0 | 7326 |
| 100.0 | 100.0 | 19 | 40 | 19 | 3700.0 | 83167 |
| 100.0 | 100.0 | 19 | 180 | 19 | 3700.0 | 93021 |
| 100.0 | 100.0 | 19 | 120 | 19 | 3700.0 | 93076 |